

U Cores (9077002002)



Part Number: 9077002002

77 U CORE

Explanation of Part Numbers: Digits 1&2 = product class, 3&4 = material grade.

The U core offers an economical core design with a nearly uniform cross- sectional area. In a power ferrite material they are frequently used in output chokes, power input filters and transformers for switched- mode power supplies and HF fluorescent ballasts.

☐ For any U core requirement not listed in the catalog, please contact our customer service group for availability and pricing.

☐ Weight indicated is per pair or set.

Weight: 1.4 (g)

	<u>. 1.4 (g</u>	4	T	I	٦	
Dim	mm	mm tol	nominal inch	inch misc.		
A	8.9	-0.50	0.34	_		
В	4.45	+0.25	0.18	_		
С	4.05	±0.20	0.16	_		
D	1.3	Min	0.051	Min	Chart Legend An I core, 9377024002, is available for these U cores. See I Core Section of our catalog.	
Е	2.3	Min	0.09	Min		
$\Sigma I/A$: Core Constant, I_c : Effective Path Length, A_c : Effective Cross-Sectional Area, V_c :						
Effective Core Volume						
A_{L} :	Induct	tance Factor				

Electrical Properties				
$A_L(nH)$	695 Min			
Ae(cm ²)	0.124			
$\Sigma l/A(cm^{-1})$	16.8			
l _e (cm)	2.08			
$V_e(cm^3)$	0.257			

 \square A_L value is measured at 1kHz, < 10 gauss. \square These U cores have the same minimum cross- sectional area as the listed effective cross- sectional area.

Fair- Rite Products Corp. • One Commercial Row, Wallkill, New York 12589-0288

888-324-7748 • 845-895-2055

Fax: 845-895-2629

ferrites@fair- rite.com •

www.fair- rite.com